## Fasson® Rapid-Roll® White Multi-Ply Snack Web 260 HB ITC

# **Description:**


Fasson® Rapid-Roll® NEW White Multi-Ply Snack Web 260 HB ITC is a 2 ply white adhesive laminated flexible packaging material used for dry and wet goods. The EVOH sealant provides excellent oxygen barrier and seal properties. The clear print treated PET face provides excellent gloss and printability via Flexo and Digital print technology.Construction consists of ITC 48 Ga. PET/2m White EVOH with non-migratory slip.

## **Compliance:**


In compliance with CFR Title 21, Sections 177.1520. Compliance with this regulations allows the direct contact of the products with all food types subject to limitations outlined in the regulation.

## **Properties:**

Physical Property	Typical Value	Test Method	
Caliper	2.6 mils	ASTM D2103	
Yield	10.3 msi/lb	ASTM D4321	



Layer Property	Results	Typical Value	Test Method
Exterior Layer Performance Properties			
Dimension Stability Flex Crack Resistance Ink Recommendation Stiffness / Flexibility Tear Propogation Chemical Resistance Light Moisture Vapor Trans Rate Odor Oxygen Trans Rate	Excellent Good Film Inks Average N/A MD/CD Average Good .35 Average 9.0	N/A N/A N/A grams N/A N/A grams/100 sq.in./day N/A cc/100 sq.in./day	N/A N/A N/A N/A N/A N/A N/A N/A N/A
Sealant Layer Performance Properties			
Caulk & Flow Hot Tack Coefficient of Friction Seal Initiation Temperature Seal Strength Seal through Contamination	Good Good 0.25 300 N/A Good	N/A N/A Kinetic (seal to seal) °F g/in. @ 350°F/40 psi/0.5 secs. N/A	N/A N/A N/A N/A N/A N/A



#### **Target Markets:**

This laminated construction is used for dry and wet snack good applications and contents with oils, fats and require high barrier structures. Generally packaged at or about 2 oz.

#### End Uses:

Nuts and other oxygen sensitive salted snacks, condiments and personal care items.

#### Shelf Life


Unless specified otherwise in this document, one year when stored at 72°F at 50% RH

### **Statement of Practical Use**

All materials, sales and contracts for sale of Avery Dennison products are sold with the express requirement and understanding that the customer is solely and exclusively responsible for testing and for ensuring the products are fit for the customer's purposes or an end-user's purposes. All express or implied warranties of merchantability and fitness for particular use are disclaimed.

Warranty

All sales and contracts for sale are expressly conditioned on the buyer's assent to Avery Dennison's terms and conditions found on its website at www.na.fasson.com. Avery Dennison hereby objects to any term, different from or additional to Avery Dennison's terms, contained in any buyer communication in any form, unless agreed to in a writing signed by an officer of Avery Dennison.



# Label and Packaging Materials-North America 8080 Norton Parkway Mentor, OH 44060 800-944-8511

